	High School Graduation Years 2019, 2020 and 2021	
Unit/Standard Number	Automobile/Automotive Mechanics Technology/Technician CIP 47.0604 Task Grid	Proficiency Level Achieved: (X) Indicates Competency Achieved to Industry Proficiency Level
	Secondary Competency Task List	
100	ORIENTATION Explain and follow all lab rules.	
	Participate in basic shop management.	
103	Participate in parts ordering.	
	Demonstrate auto shop safety and hygiene.	
105 106	Demonstrate the use of service information. Demonstrate proper telephone courtesy.	
107	Identify vehicle by: sight, V.I.N. and/or ID tag.	
108	Identify career paths within the career and technical education program.	
109	Complete work order to include customer information, vehicle identifying information, customer concern, related service history, cause, and correction.	
110	Research applicable vehicle and service information, vehicle service history, service precautions, and technical service bulletins.	
111	Locate and interpret vehicle and major component identification numbers.	
200	SAFETY	
201	Identify and follow all safety rules.	
202	Demonstrate the ability to secure vehicles on jack stands and hydraulic lifts.	
203	Demonstrate the ability to safely set-up/shut-down oxygen acetylene welding equipment. Identify chemical safety, "Right-To-Know Laws" and Safety Data Sheets (SDS).	
205	Identify and demonstrate the safe use of hand tools.	
206	Identify and demonstrate the safe use of power tools.	
207	Identify and demonstrate the safe use of protective clothing and equipment. Identify and demonstrate the safe use of fire protection equipment.	
209	Identify and demonstrate the safe use of shop equipment.	
210	Explain EPA and OSHA Regulations.	
300	TOOLS/FASTENERS	
301	Identify and use fasteners and bolts.	
302 303	Demonstrate the ability to correctly drill and use re-threading tools. Demonstrate the ability to correctly read and interpret precision automotive measuring tools.	
304	Demonstrate the ability to correctly read and interpret precision automotive measuring tools.	
305	Perform common fastener and thread repairs, to include: remove broken bolt, restore internal and external threads, and repair internal threads with a threaded insert.	
100		
400	CERTIFICATIONS Prepare to obtain PA Safety Inspection Certification.	
401	Prepare to obtain FA Safety inspection Certification. Prepare to obtain EPA 609 Refrigerant Recovery, Recycling Certification.	
403	Prepare to obtain Emission Inspection Certification.	
500	OURDENAGON AND OTTERNIA	
500	SUSPENSION AND STEERING RESERVED	
502	Identify and interpret suspension and steering system concerns; determine necessary action.	
503	RESERVED	
	RESERVED	
505 506	RESERVED RESERVED	
507	Inspect rack and pinion steering gear; inspect mounting bushings and brackets.	
508	Inspect rack and pinion steering gear inner tie rod ends (sockets) and bellows boots.	
509 510	Determine proper power steering fluid type; inspect fluid level and condition. Flush, fill, and bleed power steering system.	
510	Diagnose power steering fluid leakage; determine necessary action.	
512	RESERVED	
513	Remove and reinstall power steering pump. Remove and reinstall press fit power steering pump pulley; check pulley and belt alignment.	
514 515	Inspect and replace power steering hoses and fittings.	
516	Inspect and replace pitman arm, relay (centerlink/intermediate) rod, idler arm and mountings, and steering linkage damper.	
517	Inspect, replace, and adjust tie rod ends (sockets), tie rod sleeves, and clamps.	
518 519	RESERVED Inspect, and/or replace upper and lower control arms, bushings, shafts, and rebound bumpers.	
520	Inspect, and/or replace upper and lower control arms, busnings, snans, and rebound bumpers. Inspect, and/or replace strut rods and bushings.	
521	Inspect, and/or replace upper and/or lower ball joints.	
522	Inspect, and/or replace steering knuckle assemblies.	
523 524	Inspect, and/or replace short and long arm suspension system coil springs and spring insulators. Inspect, and/or replace, and adjust suspension system torsion bars; inspect mounts.	
525	Inspect, and/or replace stabilizer bar bushings, brackets, and links.	
526	Inspect, and/or replace strut cartridge or assembly, strut coil spring, insulators (silencers), and upper strut bearing mount.	
527	Inspect, remove, and replace shock absorbers.	

Revised April 2018

520	DESERVED	
528	RESERVED	
529 530	Lubricate suspension and steering systems. Perform pre-alignment inspection and measure vehicle ride height; perform necessary action.	
	Prepare vehicle for wheel alignment on the alignment machine; describe alignment angles and perform four wheel alignment by checking and	
531	adjusting front and rear wheel caster, camber; and toe as required; center steering wheel.	
532	RESERVED	
533	RESERVED	
534	RESERVED	
535	Check front and/or rear cradle (subframe) alignment; determine necessary action.	
536	Inspect tire condition; identify tire wear patterns; check and adjust air pressure; determine necessary action.	
537 538	Diagnose wheel/tire vibration, shimmy, and noise; determine necessary action. Rotate tires according to manufacturer's recommendations.	
539	Measure wheel, tire, axle flange, and hub runout; determine necessary action.	
540	Diagnose tire pull problems; determine necessary action.	
541	Dismount, inspect, and remount tire on wheel; balance wheel and tire assembly (static and dynamic).	
542	Dismount, inspect, and remount tire on wheel equipped with tire pressure monitoring system sensor.	
543	RESERVED	
544	Inspect tire and wheel assembly for air loss; perform necessary action.	
545	Repair tire using internal patch.	
546 547	Identify indirect and direct tire pressure monitoring systems (TPMS) calibrate system; verify operation of instrument panel lamps. Identify steps required to remove and replace sensors in a tire pressure monitoring system (TPMS) including relearn procedure.	
347	reading steps required to remove and replace sensors in a tire pressure monitoring system (11 Wo) including releast procedure.	
600	BRAKES	
601	RESERVED	
602	Identify and interpret brake system concern; determine necessary action.	
603	RESERVED	
604	RESERVED	
605	Measure brake pedal height, travel, and free play (as applicable); determine necessary action.	
606	Check master cylinder for internal/external leaks and proper operation; determine necessary action.	
607	Remove, bench bleed, and reinstall master cylinder. Inspect brake lines, flexible hoses, and fittings for leaks, dents, kinks, rust, cracks, bulging or wear; tighten loose fittings and supports; determine	
608	necessary action.	
609	Replace brake lines, hoses, fittings, and supports.	
610	Fabricate brake lines using proper material and flaring procedures (double flare and ISO types).	
611	Select, handle, store, and fill brake fluids to proper level.	
612	Inspect, test, and/or replace components of brake warning light system.	
613	Bleed and/or flush brake system.	
614	Diagnose poor stopping, noise, vibration, pulling, grabbing, dragging or pedal pulsation concerns; determine necessary action.	
615	Remove, clean, inspect, and measure brake drums; determine necessary action.	
616	Refinish brake drum; measure final drum diameter.	
617	Remove, clean, and inspect brake shoes, springs, pins, clips, levers, adjusters/self-adjusters, other related brake hardware, and backing support plates; lubricate and reassemble.	
618	Inspect and install wheel cylinders.	
619	Pre-adjust brake shoes and parking brake; install brake drums or drum/hub assemblies and wheel bearings.	
620	Install wheel, torque lug nuts, and make final checks and adjustments.	
621	RESERVED	
622	Remove caliper assembly; inspect for leaks and damage to caliper housing; determine necessary action.	
623	Clean and inspect caliper mounting and slides/pins for operation, wear, and damage; determine necessary action.	
624	Reassemble, lubricate, and reinstall caliper, pads, and related hardware; seat pads, and inspect for leaks.	
625 626	Clean, inspect, and measure rotor thickness, lateral runout, and thickness variation; determine necessary action. Remove and reinstall rotor.	
627	Refinish rotor on vehicle; measure final rotor thickness.	
628	Refinish rotor off vehicle; measure final rotor thickness.	
629	RESERVED	
630	Check brake pad wear indicator system operation; determine necessary action.	
631	RESERVED	
632	Check vacuum supply to vacuum-type power booster and check power assist operation.	
633	Remove, clean, inspect, repack, and install wheel bearings, RACES and replace seals; install hub and adjust bearings.	
634	Check parking brake cables and components including integral parking brake system for wear, binding, and corrosion; clean, lubricate, adjust or replace as needed.	
635	Check parking brake and indicator light system operation; determine necessary action.	
636	Check operation of brake stop light system; determine necessary action.	
637	RESERVED	
638	Inspect and replace wheel studs.	
639	Remove and reinstall sealed wheel bearing assembly.	
640	Identify and inspect electronic brake control system components; determine necessary action.	
641	Diagnose electronic brake control system electronic control(s) and components by retrieving diagnostic trouble codes, and/or using	
	recommended test equipment; determine necessary action.	
642 643	RESERVED Read the electronic brake control exetem bydraulic circuits	
644	Bleed the electronic brake control system hydraulic circuits. Identify traction control/vehicle stability control system components.	
645	Describe the operation of a regenerative braking system.	
700	ELECTRICAL/ELECTRONIC SYSTEMS	
704	RESERVED	
701		
702	Identify and interpret electrical/electronic system concern; determine necessary action.	
702 703	RESERVED	
702 703 704	RESERVED RESERVED	
702 703	RESERVED	

Revised April 2018 2

707	Check electrical circuits using fused jumper wires; determine necessary action.	
708	Locate shorts, grounds, opens, and resistance problems in electrical/electronic circuits; determine necessary action.	
709	Measure and diagnose the cause(s) of excessive parasitic draw; determine necessary action.	
710	Inspect and test fusible links, circuit breakers, and fuses; determine necessary action.	
711	Inspect and test switches, connectors, relays, solenoid solid state devices, and wires of electrical/electronic circuits; perform necessary action.	
712	Remove and replace terminal end from connector; replace connectors and terminal ends.	
713	Repair wiring harness and/or solder (including CAN/BUS systems) repair	
714	RESERVED	
715	Identify location of hybrid vehicle high voltage circuit disconnect (service plug) location and safety procedures.	
-		
716	Perform battery state-of-charge test; determine necessary action.	
717	Perform battery capacity test; confirm proper battery capacity for vehicle application; determine necessary action.	
	Maintain or restore electronic memory functions.	
719	Inspect, clean, fill, and/or replace battery, battery cables, connectors, clamps, and hold-downs.	
720	Perform battery charge.	
721	Start a vehicle using jumper cables or an auxiliary power supply.	
722	Identify electronic modules, security systems, radios, and other accessories that require reinitialization or code entry following battery disconnect.	
122		
723	Perform starter current draw tests; determine necessary action.	
724	Perform starter circuit voltage drop tests; determine necessary action.	
725	Inspect and test starter relays and solenoids; determine necessary action.	
726	Remove and install starter in a vehicle.	
727	Inspect and test switches, connectors, and wires of starter control circuits; perform necessary action.	
728	Differentiate between electrical and engine mechanical problems that cause a slow-crank or no-crank condition.	
729	Perform charging system output test; determine necessary action.	
	Diagnose charging system for the cause of undercharge, no-charge, and overcharge conditions.	
731	RESERVED	
732	Remove, inspect, and install generator (alternator).	
733	RESERVED	
734	RESERVED	
735	Inspect, replace, and aim headlights and bulbs.	
736	RESERVED	
	RESERVED	
	RESERVED	
739	Diagnose the cause of incorrect operation of warning devices and other driver information systems.	
	· · · · · · · · · · · · · · · · · · ·	
740	Diagnose incorrect horn operation; perform necessary action.	
741	Diagnose incorrect wiper operation; diagnose wiper speed control and park problems; perform necessary action.	
742	Diagnose incorrect washer operation; perform necessary action.	
743	Diagnose incorrect operation of motor-driven accessory circuits; determine necessary action.	
745	RESERVED	
746	Remove and reinstall door panel.	
_	Remove and reinstall door panel. Use a digital multimeter (DMM).	
746	,	
746 747	,	
746 747 800	Use a digital multimeter (DMM).	
746 747 800 801	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED	
746 747 800 801 802	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action.	
746 747 800 801 802 803	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED	
746 747 800 801 802 803 804	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED	
746 747 800 801 802 803 804 805	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action.	
746 747 800 801 802 803 804 805 806	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action.	
746 747 800 801 802 803 804 805 806	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action.	
746 747 800 801 802 803 804 805 806 807 808	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action.	
746 747 800 801 802 803 804 805 806 807 808	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action.	
746 747 800 801 802 803 804 805 806 807 808 809 810	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action.	
746 747 800 801 802 803 804 805 806 807 808 809 810	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action.	
746 747 800 801 802 803 804 805 806 807 808 809 810 811	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED RESERVED RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action.	
746 747 800 801 802 803 804 805 806 807 808 809 810	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action. Verify engine operating temperature; determine necessary action.	
746 747 800 801 802 803 804 805 806 807 808 810 811 812	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action. Verify engine operating temperature; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses;	
746 747 800 801 802 803 804 805 806 807 808 809 810 811	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action. Verify engine operating temperature; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action.	
746 747 800 801 802 803 804 805 806 807 808 810 811 812	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action. Verify engine operating temperature; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses;	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action. Verify engine operating temperature; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action.	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action. Verify engine operating temperature; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action. Verify engine operating temperature; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable.	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder ranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder reaking energature; determine necessary action. Perform cylinder reaking temperature; determine necessary action. Perform cylinder reaking temperature; determine necessary action. RESERVED RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data.	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814	Use a digital multimeter (DMM). RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED RESERVED RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cooling poerating temperature; determine necessary action. Verify engine operating temperature; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis.	
746 747 800 801 802 803 804 805 806 807 808 810 811 812 813 814 815 816 817	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action. Verify engine operating temperature; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action.	
746 747 800 801 802 803 804 805 806 807 808 810 811 812 813 814 815 816 817	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action. Verify engine operating temperature; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action. Describe the importance of running all OBDII monitors for repair verification.	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action. Verify engine operating temperature; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action. RESERVED	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder leakage test; determine necessary action. Verify engine operating temperature; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action. Describe the importance of running all OBDII monitors for repair verification. RESERVED Inspect and test ignition primary and secondary circuit wiring and solid state components; test ignition coil(s); perform necessary action.	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform coling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED RESERVED Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action. Describe the importance of running all OBDII monitors for repair verification. RESERVED Inspect and test gnition primary and secondary circuit wiring and solid state components; test ignition coil(s); perform necessary action. Inspect and test crankshaft and camshaft position sensor(s); perform necessary action.	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819	Use a digital multimeter (DMM): ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action. Verify engine operating temperature; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action. RESERVED Inspect and test ignition primary and secondary circuit wiring and solid state components; test ignition coil(s); perform necessary action. Inspect and test trankshaft and camshaft position sensor(s); perform necessary action. Inspect and test graition primary and secondary circuit wiring and solid state components; test ignition coil(s); perform necessary action.	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822	Use a digital multimeter (DMM): ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action. Verify engine operating temperature; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action. Describe the importance of running all OBDII monitors for repair verification. RESERVED Inspect and test crankshaft and camshaft position sensor(s); perform necessary action. Inspect and test crankshaft and camshaft position sensor(s); perform necessary action. Inspect and for replace ignition control module, powertrain/engine control module; reprogram as necessary. Diagnose hot or cold no-starting, hard starting, poor drivability, incorrect idle spe	
746 747 800 801 802 803 804 805 806 807 808 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform coling esystem pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose engine mechanism or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action. Describe the importance of running all OBDII monitors for repair verification. RESERVED Inspect and test ignition primary and secondary circuit wiring and solid state components; test ignition coli(s); perform necessary action. Inspect and test orankshaft and camshaft position sensor(s); perform necessary action. Inspect and test gnition primary and secondary circuit wiring and solid state components; test ignition coli(s); perform necessary action. Inspect and test orankshaft and camshaft position sensor(s); perform necessary action. Inspect, test, and	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED Reform cylinder one one or vibration concerns; determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action. Verify engine operating temperature; determine necessary action. Perform coling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action. Describe the importance of running all OBDII monitors for repair verification. RESERVED Inspect and test ignition primary and secondary circuit wiring and solid state components; test ignition coil(s); perform necessary action. Inspect and test ignition control module, powertrain/engine control module; reprogram as necessary. Diagnose hot or cold no-starting, hard starting, poor drivability, incorrect idle speed, poor idle, flooding, hesitation, surging, engine misfire, power loss, stalling, poor mil	
746 747 800 801 802 803 804 805 806 807 808 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform coling esystem pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose engine mechanism or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action. Describe the importance of running all OBDII monitors for repair verification. RESERVED Inspect and test ignition primary and secondary circuit wiring and solid state components; test ignition coli(s); perform necessary action. Inspect and test orankshaft and camshaft position sensor(s); perform necessary action. Inspect and test gnition primary and secondary circuit wiring and solid state components; test ignition coli(s); perform necessary action. Inspect and test orankshaft and camshaft position sensor(s); perform necessary action. Inspect, test, and	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED Reform cylinder one one or vibration concerns; determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder leakage test; determine necessary action. Diagnose engine mechanical, electrical, electronic, fuel, and ignition concerns; determine necessary action. Verify engine operating temperature; determine necessary action. Perform coling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action. Describe the importance of running all OBDII monitors for repair verification. RESERVED Inspect and test ignition primary and secondary circuit wiring and solid state components; test ignition coil(s); perform necessary action. Inspect and test ignition control module, powertrain/engine control module; reprogram as necessary. Diagnose hot or cold no-starting, hard starting, poor drivability, incorrect idle speed, poor idle, flooding, hesitation, surging, engine misfire, power loss, stalling, poor mil	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal exhaust color, odor, and sound; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder power balance test, determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform coling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action. Describe the importance of running all OBDII monitors for repair verification. RESERVED Inspect and test ignition primary and secondary circuit wiring and solid state components; test ignition coil(s); perform necessary action. Inspect and test ignition control module, powertrain/engine control module; reprogram as necessary. Diagnose hot or cold no-starting, hard starting,	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 820 821 822 823 824 825 826	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED RESER	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action. Describe the importance of running all OBDII monitors for repair verification. RESERVED Inspect and test ignition primary and secondary circuit wiring and solid state components; test ignition co	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERV	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 820 821 822 823 824 825 826 827 828 829 830	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder roarking and running compression tests; determine necessary action. Perform cylinder roarking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cooling system pressure tests; check coolant condition, inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. Perform cooling system pressure tests; check coolant condition, inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action. RESERVED Inspect and test ignition primary and secondary circuit wiring and solid state components; test ignition coli(s); perform necessary action. Inspect and test ignition primary and secondary circuit wiring and solid state components; test ignition coli(s); perform necessary action. Inspect and test fuel i	
746 747 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829	Use a digital multimeter (DMM). ENGINE PERFORMANCE RESERVED Identify and interpret engine performance concern; determine necessary action. RESERVED RESERVED Identify components and inspect engine assembly for fuel, oil, coolant, and other leaks, determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Diagnose abnormal engine noise or vibration concerns; determine necessary action. Perform engine absolute (vacuum/boost) manifold pressure tests; determine necessary action. Perform cylinder power balance test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cylinder cranking and running compression tests; determine necessary action. Perform cylinder leakage test; determine necessary action. Perform cooling system pressure tests; check coolant condition; inspect and test radiator, pressure cap, coolant recovery tank, and hoses; perform necessary action. RESERVED Retrieve and record diagnostic trouble codes, OBD monitor status, and freeze frame data; clear codes when applicable. Diagnose the causes of emissions or drivability concerns with stored or active diagnostic trouble codes; obtain, graph, and interpret scan tool data. Access and use service information to perform step-by-step diagnosis. Perform active tests of actuators using a scan tool; determine necessary action. Describe the importance of running all OBDII monitors for repair verification. RESERVED Inspect and test ignition primary and secondary circuit wiring and solid state components; test ignition coil(s); perform necessary action. Inspect and test grainshaft and camshaft position sensor(s); perform necessary action. Inspect and test ignition primary and secondary circuit wiring	

Revised April 2018 3

834	RESERVED	
	Inspect, test, service and replace components of the EGR system, including electrical/electronic sensors, controls, and wiring, EGR tubing,	
835	exhaust passages, vacuum/pressure controls, filters and hoses; perform necessary action.	
836	RESERVED	
837	Inspect and test mechanical components of secondary air injection systems; perform necessary action.	
838	Inspect and test electrical/electronically-operated components and circuits of air injection systems; perform necessary action.	
839	Inspect and test catalytic converter efficiency.	
840	RESERVED	
841	Inspect and test components and hoses of the evaporative emissions control system; perform necessary action.	
842	Interpret diagnostic trouble codes (DTCs) and scan tool data related to the emissions control systems; determine necessary action.	
843	Remove and replace timing belt; verify correct camshaft timing.	
844	Remove and replace thermostat and gasket/seal.	
845	Inspect and test mechanical/electrical fans, fan clutch, fan shroud/ducting, air dams, and fan control devices; perform necessary action.	
846	Perform engine oil and filter change.	
900	ENGINE REPAIR	
901	RESERVED	
902	Verify operation of the instrument panel engine warning indicators.	
903	Install engine covers using gaskets, seals, and sealers as required.	
904	RESERVED	
905	Adjust valves (mechanical or hydraulic lifters).	
906	Inspect, replace, and adjust drive belts, tensioners, and pulleys; check pulley and belt alignment.	
907	Inspect and test coolant; drain and recover coolant; flush and refill cooling system with recommended coolant; bleed air as required.	
1000	AUTOMATIC TRANSMISSION AND TRANSAXLE	
1001	RESERVED	
1002	Check fluid level and fluid condition in a transmission or a transaxle equipped with a dip-stick.	
1003	Check fluid level and fluid condition in a transmission or a transaxle not equipped with a dip-stick.	
1004	Drain and replace fluid and filter(s).	
	Identify drivetrain components and configuration.	
1006	Inspect, adjust, and/or replace external manual valve shift linkage, transmission range sensor/switch, and/or park/neutral switch.	
	Inspect for leakage at external seals, gaskets and bushings.	
1008	Inspect, replace and/or align powertrain mounts.	
	MANUAL DRIVE TRAIN AND AXLES	
	RESERVED	
	Drain and refill manual transmission/transaxle and final drive unit.	
	Check and adjust clutch master cylinder fluid level.	
	Check for system leaks.	
	Check and adjust differential housing fluid level.	
	Drain and refill differential housing.	
1107	Identify and inspect and/or replace manual drivetrain and axle components and configuration.	
1200	HEATING AND AID CONDITIONING	
	HEATING AND AIR CONDITIONING RESERVED	
	RESERVED	
	Inspect A/C condenser for airflow restrictions.	
	Inspect engine cooling and heater systems hoses. Inspect A/C-heater ducts, doors, hoses, cabin filters, and outlets.	
1203	mspect Avo-neater ducts, doors, noses, cabin litters, and oddets.	

Revised April 2018 4